

Notice of Allowability

Application No.

10/509,985

Applicant(s)

KURESHY ET AL.

Examiner

Jeff Lundgren

Art Unit

1639

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 9/12/07.
2. ☒ The allowed claim(s) is/are 1-13.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

/Jon D. Epperson/
Primary Examiner, AU 1639

EXAMINER'S AMENDMENT

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this Examiner's Amendment was given in a telephone interview with Dr. Fessenmaier on December 6, 2007.

Claim Amendments

The specification has been amended as follows:

On page 6, line 27, the phrase "biochip in the detector" has been replaced by the phrase "biochip relative to the detector".

The claims have been amended as follows:

In claim 1, line 10, the phrase "relative to the z-coordinate" has been inserted after the phrase "at a first angle" (*i.e.*, at a first angle relative to the z-coordinate).

In claim 1, lines 12 and 13, the phrase "relative to the z-coordinate" has been inserted after the phrase "at a second angle" (*i.e.*, at a second angle relative to the z-coordinate).

In claim 1, lines 14-16, the phrase:

"a computer configured to determine the position of the at least two
- analytes with respect to at least the x-coordinate and the y-coordinate
using the predetermined relationship of the plurality of the registration
markers to the plurality of the analytes;"

has been replaced by the new phrase:

“a computer configured to determine the position of the biochip with respect to a given x-coordinate value and a given y-coordinate value using the registration marker signals;”.

Claims 14-20 have been canceled.

Reasons for Allowance

The claimed invention distinguishes over the prior art through the first and second light source, wherein the first light source is configured at a first angle relative to the z-coordinate, and the second light source is configured at a second angle relative to the z-coordinate. These claimed features in the context of the invention as a whole are neither taught by Noblett, nor fairly suggested on its own or in combination with other teachings in the art.

Conclusions

Claims 1-13 are allowed.

If Applicants should amend the claims, a complete and responsive reply will clearly identify where support can be found in the disclosure for each amendment. Applicants should point to the page and line numbers of the application corresponding to each amendment, and provide any statements that might help to identify support for the claimed invention (*e.g.*, if the amendment is not supported *in ipsius verbis*, clarification on the record may be helpful). Should Applicants present new claims, Applicants should clearly identify where support can be found in the disclosure.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Jeff Lundgren whose telephone number is 571-272-5541. The Examiner can normally be reached from 7:00 AM to 5:30 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, James Schultz, can be reached on 571-272-0763. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1639

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/JSL/

/Jon D. Epperson/
Primary Examiner, AU 1639